


KUBE. Ole Team



Ref.26807/40

244.245





Ref.26807/40

246.247





Ref.26017/50

248.249




Ref.26817/50



Ref.26817/50

250.251



Ref.26817/R100

REF.
26017/50

PLAFÓN / *CEILING LIGHT*
IP20


MATERIAL
Metal, tablero marino y metacrilato/
Metal, marine board plywood and PMMA

ACABADO / *FINISH*
Roble / *oak*
Difusor blanco óptico / *Optical white diffuser*

INSTALACIÓN / *INSTALLATION*
- E27 LED 5x10W Ø6cm

- E27 LED 5x11W L:17cm

- COB-LED 30W AC.220V
Cálida / *Warm 3000K 1472lm*
Neutra / *Neutral 4000K 1554lm*



REF.
26807/25

COLGANTE / *SUSPENSION*
IP20


MATERIAL
Metal, tablero marino y metacrilato/
Metal, marine board plywood and PMMA

ACABADO / *FINISH*
Florón blanco mate / *Matt white canopy*
Roble / *oak*
Difusor blanco óptico / *Optical white diffuser*

INSTALACIÓN / *INSTALLATION*
- E27 LED 2x10W Ø6cm

- E27 LED 2x11W L:17cm

- COB-LED 15W AC.220V
Cálida / *Warm 3000K 627lm*
Neutra / *Neutral 4000K 663lm*



REF.
26807/40


COLGANTE / *SUSPENSION*
IP20

MATERIAL
Metal, tablero marino y metacrilato /
Metal, marine board plywood and PMMA

ACABADO / *FINISH*
Florón blanco mate / *Matt white canopy*
Roble / *oak*
Difusor blanco óptico /
Optical white diffuser

INSTALACIÓN / *INSTALLATION*
- E27 LED 2x10W Ø6cm

- COB-LED 20W AC.220V
Cálida / *Warm 3000K 794lm*
Neutra / *Neutral 4000K 840lm*



REF.
26817/50

COLGANTE / *SUSPENSION*
IP20


MATERIAL
Metal, tablero marino y metacrilato/
Metal, marine board plywood and PMMA

ACABADO / *FINISH*
Florón blanco mate /
Matt white canopy
Roble / *oak*
Difusor blanco óptico /
Optical white diffuser

INSTALACIÓN / *INSTALLATION*
- E27 LED 5x10W Ø6cm

- E27 LED 5x11W L:17cm

- COB-LED 30W AC.220V
Cálida / *Warm 3000K 1472lm*
Neutra / *Neutral 4000K 1554lm*



REF.
26817/R100

COLGANTE / *SUSPENSION*
IP20

MATERIAL
Metal, tablero marino y metacrilato/
Metal, marine board plywood and PMMA

ACABADO / *FINISH*
Florón blanco mate /
Matt white canopy
Roble / *oak*
Difusor blanco óptico /
Optical white diffuser

INSTALACIÓN / *INSTALLATION*
- PCB-LED 20W 350mA
Cálida / *Warm 3000K 854lm*
Neutra / *Neutral 4000K 894lm*

